



### PROTECTION FRAMEWORK

**EN ISO 20345: 2011** – Safety footwear used for general purposes. It includes, for example, mechanical risks, slip resistance, thermal risks, ergonomic behaviour.

For professional use: **Fishing - agriculture - industry - cleaning** or other activities requiring this kind of protection.

THIS ARTICLE IS A

## CATEGORY 2 PPE

And complies with EU regulation 2016/425

PPE = Personal Protective Equipment

### PERFORMANCE

#### EN ISO 20345 (S4+SRA+CI)

**S4** = Basic safety requirements + antistatic footwear + energy absorption in the heel region of at least 20 J

**SRA** = Slip resistance on ceramic tile wetted with dilute soap solution

**CI** = Cold insulation

Hydrolysis resistance (*hydrolysis = chemical breakdown due to reaction with water*)

Excellent thermal insulation while remaining supple at -20°C

Sole resistant to acids and organic solvents, oils and grease

Heel lug on boots for easy kick-off

Heel energy absorption

Removable insole

Steel toe cap resisting an impact of over 200 J and compression of up to 15kN for loads (1.5 tonnes)

Antistatic and non-slip sole with extra deep tread pattern

Excellent protection on icy surfaces, withstanding temperatures as low as -70°C

### PRINCIPAL MATERIALS

Polyurethane

*Easy to clean and disinfect*

### INSTRUCTIONS

- CARE
  - Clean the boots after every use with water and soap, using a soft brush
  - Rinse immediately
  - Allow to dry well

- STORAGE
  - Store the boots in a well-ventilated place



For maximum protection, check the condition of your boots thoroughly before each use.

DO NOT USE the boots if the protective parts (i.e. toe cap, sole) are damaged.



Colour : navy, orange, green

Sizes: 37-38-39-40-41-42-43-44-45-46/47

The lifespan of the boots is linked to conditions of use and quality of care